


## Side view
(view from right)





## Front view




## Side view
(view from left)





## Rear view




welding nut M10
for earthing

## Section B-B





4x Mounting rail
SMSS-800
steel galvanized
with earth connection


5x Gas bottle
fastener
SGOE

4x Mounting rail
SMSS-1000
steel galvanized
with earth connection

## Section A-A





## Section C-C




raised inner floor with rubber mate

GRP floor

## General view



Double door
- H2000 x W1850
- Swing handle
  suitable for half euro
  profile cylinders
- 3-Point latch system
  with earthing cable
- Door stay, topside
  with earthing cable
- 2x door contact switch

Single door
- H2200 x W1000 L
- handle suitable for half
  euro profile cylinders
- 3-Point latch system
- panic bar with earthing cable
- door Closer FB198 TS3000 with earthing
- door contact switch

Gas bottle ramp with raised inner floor,
Alu checker plate 5/6,5mm
covered with nubbed rubber mat, black
1850x600 / SGOO with earthing cable

gasunie
crossing borders in energy

| | | |
|---|---|---|
| ☑ | Code A | Approved for: RFC |
| ☐ | Code B | Approved as marked, new "for approval" drawing to be submitted |
| ☐ | Code C | Not approved, new "for approval" drawing to be submitted |

Name:
Date: Akkoord: C.M.Kroese 10-08-2026

| | |
|---|---|
| Delivery quantitiy: | 1 pcs. |
| Surface: | GO anti-static DIN EN IEC 60079-0 |
| Color: | RAL 7032 grey |
| C-Rails: | Aluminium |
| Floor Design: | K + Alu checker plate |
| Protection degree: | IP54 |
| Weight: | ≈1100 kg |

INTERTEC


INTERTEC-Hess GmbH
Raffineriestraße 8
D-93333 Neustadt / Donau
Pho.: +49(0)9445/9532-0
www.intertec.info


| Edition | Modifikation | Date | Name |
|---|---|---|---|
| | | designed by | 02.07.2026 Domes |
| | | checked by | 02.07.2026 Wieben |

Status: Order
Scale:

Customer: N.V. Nederlandse Gasunie

Description:
**Cabinet with bottle room right, wooden MP**
Type: (HxBxD)
CLASSIC 250.365.195

GASUNIE Article-No.: 10003817
INTERTEC Article-No.: H2660180


Drawing-No.: **H2660180-Pos.10-0**

Sheet: 1
of: 3
Size: A3



This drawing is the property of INTERTEC-Hess GmbH. It shall not be copied or submitted to outside parties without our written consent.
All dimension tolerances are according to ISO 2768-medium unless otherwise specified. Test dimensions for internal use only.


| | | | | | |
|---|---|---|---|---|---|
| STATUS | GETEKEND DOOR | AFD. | PAR. | © JAAR N.V. NEDERLANDSE GASUNIE | |
| | GECONTROLEERD DOOR | AFD. | PAR. | OMSCHRIJVING WIJZIGING | GETEKEND BIJ |
| | VOOR AKKOORD | AFD. | PAR. | SCHAAL / DATUM 1e UITGAVE | DATUM WIJZIGING |
| gasunie | CATEGORIE / VAKGEBIED / TEK. SOORT: B & O | | FORMAAT | NUMMER: S-_____ | WIJZ. NR.: 0 |
| | PROJECTNUMMER | SUBLOCATIE/GEBOUW CODE | | | |


## Section A-A





## Section B-B





## Section C-C





## Top view
without roof




## Section D-D




## Section E-E




| | | | | | | | |
|---|---|---|---|---|---|---|---|
| STATUS | GETEKEND DOOR | AFD. | PAR. | © JAAR N.V. NEDERLANDSE GASUNIE | | | |
| | GECONTROLEERD DOOR | AFD. | PAR. | OMSCHRIJVING WIJZIGING | | GETEKEND BIJ | |
| | VOOR AKKOORD | AFD. | PAR. | SCHAAL | DATUM 1e UITGAVE | DATUM WIJZIGING | |
| gasunie | CATEGORIE / VAKGEBIED / TEK. SOORT: B & O | | FORMAAT | NUMMER: S-_____ | | WIJZ. NR.: 0 | |
| | PROJECTNUMMER | SUBLOCATIE/GEBOUW CODE | | | | | |


INTERTEC-Hess GmbH
Raffineriestraße 8
D-93333 Neustadt / Donau
Pho.: +49(0)9445/9532-0
www.intertec.info


| Edition | Modifikation | Date | Name |
|---|---|---|---|
| | | | |

| | Status: | Scale: |
|---|---|---|
| | Order | |
| | Date | Name |
| designed by | 02.07.2026 | Domes |
| checked by | 02.07.2026 | Wieben |

GASUNIE Article-No.: 10003817

INTERTEC Article-No.: H2660180

Customer: N.V. Nederlandse Gasunie


Description: **Cabinet with bottle room right, wooden MP**


Type: (HxBxD) CLASSIC 250.365.195

Drawing-No.: **H2660180-Pos.10-0**

Sheet: 2 of: 3 Size: A3


This drawing is the property of INTERTEC-Hess GmbH. It shall not be copied or submitted to outside parties without our written consent. All dimension tolerances are according to ISO 2768-medium unless otherwise specified. Test dimensions for internal use only.





GRP underlay under the stainless steel floor
frame made from loose GRP stripes; t=4,5mm
Delivered loose, prepared with the
necessary drill holes. Must be positioned on site.

**On Site: (not by INTERTEC)**
**The insulation strips must be glued (e.g. TEC7 A-Tec) to the bottom of the cabinet. The concrete anchors for mounting the cabinet on the foundation must be insulated from the cabinet by means of plastic bushes and rings**

| | | | | | | | |
|---|---|---|---|---|---|---|---|
| STATUS | GETEKEND DOOR | AFD. | PAR. | © JAAR N.V. NEDERLANDSE GASUNIE | | | |
| | GECONTROLEERD DOOR | AFD. | PAR. | OMSCHRIJVING WIJZIGING | | GETEKEND BIJ | |
| | VOOR AKKOORD | AFD. | PAR. | SCHAAL | DATUM 1e UITGAVE | DATUM WIJZIGING | |
| gasunie | CATEGORIE / VAKGEBIED / TEK. SOORT / B & O | | FORMAAT | NUMMER | | | WIJZ. NR. |
| | PROJECTNUMMER | SUBLOCATIE/GEBOUW CODE | | S-_____ | | | 0 |


INTERTEC-Hess GmbH
Raffineriestraße 8
D-93333 Neustadt / Donau
Pho.: +49(0)9445/9532-0
www.intertec.info


| Edition | Modifikation | Date | Name |
|---|---|---|---|
| | | designed by | 02.07.2026 Domes |
| | | checked by | 02.07.2026 Wieben |

Status: Order | Scale:

Customer: N.V. Nederlandse Gasunie

Description: **Cabinet with bottle room right, wooden MP**

Type: (HxBxD) CLASSIC 250.365.195

GASUNIE Article-No.: 10003817

INTERTEC Article-No.: H2660180

Drawing-No.: **H2660180-Pos.10-0**

Sheet: 3 of: 3 Size: A3


This drawing is the property of INTERTEC-Hess GmbH. It shall not be copied or submitted to outside parties without our written consent.
All dimension tolerances are according to ISO 2768-medium unless otherwise specified. Test dimensions for internal use only.